

**Sporting and Technical Regulations
2020**



Enduro KA Series

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

1 SPORTING REGULATIONS - GENERAL

1.1 TITLE & JURISDICTION:

The MSV Trackdays Enduro KA Series is organised and administered by **MotorSport Vision Racing** in accordance with the General Regulations of the Royal Automobile Club Motor Sports Association (incorporating the provisions of the International Sporting Code of the FIA) and these Series Regulations.

Series Permit: RS2020/057
Race Status: Interclub

1.2 OFFICIALS:

1.2.1 Series Co-ordinator: Stuart Garland

1.2.2 Series Eligibility Scrutineer: Chris Mount

1.2.3 Series Stewards: Greg Masters, Bill Shewan, Mike Dixon

Any three of the above may reach a decision.

1.2.4 Series Clerk of the Course: Barry Morris or his appointed deputy

1.2.5 MSVT Technical Assistant: Stuart Garland, and Sophie Johnston

1.3 GENERAL SERIES REGULATIONS:

1.3.1 These races are deemed to be “endurance races” and hence in compliance with GR Q6.2 except where specified in these regulations

1.4 COMPETITOR ELIGIBILITY:

1.4.1 Entrants must:

- (a) be fully paid up members of MSVR and
- (b) be Registered for the Series and
- (c) be in possession of a valid Motorsport UK Entrants Licence.

1.4.2 Drivers and Entrant/Drivers must:

- (a) Be current Members of MSVR and
- (b) be Registered for the series and
- (c) be in possession of valid Competition (Racing) Nat B status Licence, *as a minimum* or
- (d) A professional driver, in possession of a valid Licence (featuring an E.U. flag) and medical, issued by the ASN of a member country of the European Union, or comparable country. ((H)26.2.1. applies)
- (e) *If participation in the Series requires absence from education a driver, in full time school education is required to have the approval of their head teacher and a letter stating such approval from their school in order to fulfil registration for the Series. A driver shall not take time out of their education to participate in motor sport without the prior written approval of their education establishment.

1.4.3 All necessary documentation must be presented for checking at all rounds when signing-on.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

- 1.4.4 Membership of MSVR is free on entry into an event.
- 1.4.5 Each car must have a minimum of two and a recommended maximum of four drivers for an event of less than 12 hours. For events of 12 hours or more, each car must have a minimum of three and maximum of six drivers.
- 1.4.6 A driver may drive a maximum of 2 cars during any event provided that they are properly entered and qualified in each car.

1.5 REGISTRATION:

- 1.5.1 All teams must register to compete in the series online at:
- 1.5.2 The Registration Fee is £150 - payable via the Enduro KA Series website.
- 1.5.3 Registrations for the series will be accepted from 6th January 2020 until the closing date for entries to the final round.
- 1.5.4 Acceptance or rejection of registrations is entirely at the discretion of the series officials.

1.6 ROUNDS:

The Series is scheduled to include six events.

1.7 AWARDS:

- 1.7.1 All awards are to be provided by MSV
Per Event: Trophy to 1st, 2nd and 3rd
- 1.7.2 Bonuses:
The Series Organising Club will endeavour to obtain sponsored awards or bonuses during the series and reserves the right to introduce same at any time without any obligation to distribute such awards retrospectively.
- 1.7.3 Presentations:
Winners Caps and Trophies are to be provided for presentation at the end of each race or at an end of the meeting presentation ceremony. Prize money and bonuses, if any, shall be posted to the Entrants within 10 days of the results of each round being declared final.
- 1.7.4 Entertainment Tax Liability:
In accordance with current government legislation, MSV Racing is legally obliged to withhold tax at the basic rate on all payments to non-UK resident sportsmen/women.
That is, those persons who do not have a normal permanent residence in the UK. The UK does not include the Isle of Man, Channel Islands or Eire. This means that, as the organiser, MSV Racing is required to deduct tax at the current rate applicable from any such payments they may make to non-UK residents.
Under certain circumstances, it may be possible for competitors to enter into an agreement with the Inland Revenue to limit the tax withheld. Any application for such an arrangement must be made in writing and not later than 30 days before the payment is due.
For further information contact:-
The Inland Revenue, Foreign Entertainers Unit, Centre for Non-Residents, St John's House, Merton Road, Merseyside L69 9BB. Tel: 0151 472 6488 F 0151 472 6483.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

1.7.5 Title to all Trophies:

In the event of any Provisional Results being revised after any provisional presentations and such revisions affect the distribution of any awards the Competitors concerned must return such awards to the Series Coordinator in good condition within 7 days.

2 SERIES EVENT MEETINGS & RACE PROCEDURES:

2.1 ENTRIES:

2.1.1 Competitors are responsible for sending in correct and complete entries with the correct entry fee prior to the closing date for entries before each event.

2.1.2 Incorrect or incomplete entries (Including Driver to be Nominated Entries) are to be held in abeyance until they are complete and correct and the date of receipt for acceptance of entry purposes shall be the date on which the Meeting Organiser receives the missing or corrected information or fee.

2.1.3 Any withdrawal or Entry or Driver/Car changes made after acceptance of any entry must be notified to the Meeting Organisers in writing. D25.1.12. applied

2.1.4 The Entry Fee for each event shall be specified on the entry system.

2.1.5 Reserves will be listed in the Final List of Entries published with Final Instructions or in a Bulletin. All Reserves will practice and replace withdrawn or retired entries in reserve number order. If Reserves are given Grid Places prior to issue of the first Grid Sheets, the times set in Practice shall determine their grid positions. If Reserves are given places after publication of the grid sheet and prior to cars being collected in the Official "Assembly Areas" they will be placed at the rear of the Grid and be started without any time delay.

2.1.6 CANCELLATIONS AND REFUNDS:

- If a race entry is withdrawn, no refunds will be offered. However, if a withdrawal is received by the Series Organiser more than 14 days prior to the race, a credit will be offered towards the next race. This credit is also available to be used towards other MSV products. In any case, a £20 administration charge will be incurred. Withdrawals made within 14 days of a particular race will not be subject to any credit being offered.
- No refunds or credits can be offered for EnduroKA registration packs.
- MSVR may cancel, postpone or alter any Date(s) or Track Time of the Event(s) in accordance with the requirements of any Governing Body and whether for reasons of Force Majeure or otherwise. In the case of cancellation or postponement, MSV shall notify the competitor of any such cancellation or postponement as soon as reasonably practicable. MSVR reserve the right to reduce Track Time during the course of the event, whether for reasons of Force Majeure or otherwise, without any repayment to the competitor.

2.2 BRIEFINGS:

MSVR will notify Competitors of the times and locations for all briefings in the Final Instructions for the meetings. Competitors must attend all briefings.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

2.4 QUALIFICATION PRACTICE:

- 2.4.1 Should any Practice session be disrupted the Clerk of the Course shall not be obliged to resume or re-run the session, the decision of the Clerk of the Course shall be final.
- 2.4.2 Each driver shall complete a minimum of 3 laps in the car to be raced, and in the correct session, in order to qualify (Motorsport UK Regulations Q4.5). The Clerk of the Course and/or Stewards of the Meeting shall have the right to disqualify any driver whose practice times or driving are considered to be unsatisfactory - as per Motorsport UK Regulation Q4.5.

2.5 RACES:

Should any race be disrupted the Clerk of the Course shall not be obliged to resume or re-run the race ((Q) 5.4).

- 2.5.1 The standard minimum scheduled race distance shall be 180 minutes whenever practicable but should any race distance be reduced at the discretion of the Clerk of the Course or Stewards of the Meeting, it shall still count as a full round.

2.6 STARTS:

- 2.6.1 All cars will be released to form up on the grid prior to the start in formation as specified on the grid sheet.
- 2.6.2 The start will be via rolling start. The organisers may vary the start procedures at any point prior to a race by issuing a bulletin.

The minimum Countdown procedures/audible warnings sequence shall be:-

Rolling Starts:

- I. 1 minute to start of Green Flag Lap - Start Engines/Clear Grid.
- II. 30 Seconds - Visible and audible warning for start of Green Flag.
- III. Green Flag Lap - Complete one lap of the circuit behind a pace car, forming into grid order prior to the final corner of the circuit

The Pace car will pull off the circuit at the end of the pace lap. The cars will continue on their own with the pole position vehicle leading at a minimum speed of 70 kph and a maximum of 90 kph. A judge of fact may monitor the speed of the car in pole position by radar. Any divergence between the prescribed speeds (70/90 kph) before the start is given may result in a stop and go penalty.

- IV. Red Lights on – maintain grid position
 - V. Red Lights off – race start signal. No car may overtake another one before the starting signal is given
- 2.6.3 In the event that the starting lights fail the Starter will revert to using the National Flag.
 - 2.6.4 Any cars still in the pits when the pit lane closes or taken to the pits prior to the start may join the race from the pit lane after the last car has crossed the start line or pit lane exit, whichever is later, after the start of race signal is given.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

- 2.6.5 Any car removed from the grid after the 1-minute stage or driven into the pits on the Green Flag lap shall be held in the pit lane and may start the race after the last car has passed the start line or pit lane exit, whichever is the later to take the start from the grid.
- 2.6.6 Any driver unable to start the Green Flag/Pace lap or start are required to indicate their situation as per Motorsport UK Regulation (Q)12.13.2. In addition, any driver unable to maintain grid positions on the Green Flag Lap, to the extent that ALL other cars are ahead of them, may complete the Green Flag lap but MUST remain at the rear of the last row of the grid.
- 2.6.7 Aborted Start: If the start is aborted prior to the pace car pulling off, the pace car will lead the field around the circuit for an additional lap and a new start will be attempted. The race will not start until the pace car pulls off the circuit, at which point the two leading vehicles maintain speed and position approaching the start line. If the start signal is not given, the grid will proceed around the circuit maintaining speed, and position to attempt another start. At the discretion of the Clerk of the Course, the race distance may be reduced accordingly following aborted starts.

Any change in the above procedure will be detailed in Final Instructions, by bulletin or by drivers briefing.

2.7 SESSION RED FLAG:

Should the need arise to stop any race or practice, RED LIGHTS will be switched on at the start line and RED FLAGS will be displayed at the Start line and at all Marshals Signalling Points around the Circuit.

This is the signal for all drivers to cease circulating at racing speeds, to slow to a safe and reasonable pace and to return to the pit lane, during practice, and to the starting grid area, during a race, unless otherwise directed by officials.

Cars may not enter the Pits unless directed to do so. Work on cars already in the Pits must cease when a race is stopped.

Cars in the Pits may not re-join the grid.

When the race is restarted the duration of the restarted race will be specified by the Clerk of the Course and the two (or more) parts of the race will be combined to produce an aggregate result. It is not permitted to change drivers during the course of the stoppage unless specifically authorised by the Clerk of the Course. The period of time that the race is stopped will count towards the driving times of the drivers in question. Under these conditions the Clerk of the Course may revise certain driving time criteria for individual drivers.

All Competitors who are able to take part in any restarted race may do so in accordance with Q5.4 and Q5.5

2.8 PITS, PADDOCK AND PIT-LANE SAFETY:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

- 2.8.1 Competitors must ensure that the Motorsport UK, Circuit Management and Organising Club Safety Regulations are complied with at all times. The onus shall be on all drivers to ensure safe working practices are adhered to (in line with the event supplementary regulations) both in the pit lane and paddock during the course of the race weekend.
- 2.8.2 All “hot” work i.e. welding, grinding must be done inside the garage with a suitable fire extinguisher to hand.
- 2.8.3 A maximum of 4 people may work on the car at any one point in time while the car is in the pit lane. Working on the car is defined as any person touching the car or refueling the car. High visibility vests must be worn by all personnel working on the car in the pit lane. When the car is removed from the pit lane into a garage there is no restriction. In the interest of safety drivers exiting/entering the vehicle may assist each other in/out and with belts and not count as a person working on the vehicle.
- 2.8.4 There must be no more than 3 people on the pit wall, per car at any time. High visibility vests must be worn by all personnel on the pit wall.
- 2.8.5 Speed Limit: Pit Lane Speed Limit will be 60 km/h
- 2.8.6 In all cases seat belts must not be loosened or unfastened before the car comes to a complete stop and must be securely fastened before the car moves off.
- 2.8.7 It is not permitted to drive a car in the pit lane by using reverse gear at any time under any circumstances.
- 2.8.8 Pit lane: The outer lane or lanes are to be kept unobstructed to allow safe passage of cars at all times. The onus shall be on all drivers to take all due care and drive at minimum speeds in pit lanes. Cars in the fast lane have priority over those leaving the working area.

2.9 REFUELLING:

- 2.9.1 Re-fuelling must be carried out using a tuff jug fitted with the tuff jug multi Spout adaptor on the ripper valve. Any vent holes in the tuff jug MUST be kept closed while refuelling.
- 2.9.2 The filler cap shall be securely in place at any time the car is on the circuit, failure to ensure this could result in the car being black flagged.
- 2.9.3 Only Pump Fuel is permitted.
- 2.9.4 During refuelling the engine must be turned off, the driver must vacate the car and the car must have all four wheels on the ground. No work may take place on the car during refuelling and the engine must be switched off.
- 2.9.5 Refuelling equipment may not be used in such a way as to increase the fuel flow rate over that engendered by gravity and non-assisted airflow. The Organisers reserve the right to instruct the team to modify their refuelling procedures and failure to comply with such instruction may lead to exclusion from the event.
- 2.9.6 No additional items may be placed in the ripper valve, tuff jug, or in the filler neck of the vehicle during refuelling.
- 2.9.7 The team member who actually refuels the car during a pit stop must wear fireproof overalls, gloves, balaclava and have goggles or a helmet to protect their eyes. Fireproof shoes/socks are also recommended. In addition, a fire extinguisher must be adjacent to

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

another team member also dressed in fireproof overalls, gloves and balaclava during the refuelling process in case it needs to be used.

2.9.8 Smoking is not permitted in the garages, pit lane or on the pit wall at any time during the event. This rule also applies to electronic cigarettes. All team members and guests must be made aware of this restriction and failure to comply will lead to immediate disqualification for the car concerned.

2.9.9 Each team must provide a foam fire extinguisher with a minimum capacity of 6 litres.

2.10 DRIVER CHANGES:

2.10.1 For races of six hours or less duration, three mandatory driver change pits stops must be made.

2.10.3 All drivers must enter and exit the car via the driver's door. Seat belts must be fully replaced and tightened before moving off.

2.11 DRIVING TIME:

2.11.1 For races of six hours or less duration no driver may drive for longer than two hours and ten minutes continuously and must rest for at least one hour between driving stints.

2.11.2 For races of more than six hours duration, no driver may drive for longer than 3 hours continuously and must rest for at least one hour between driving stints.

2.11.3 For races of more than six hours duration, no driver may drive for more than 60% of the race duration in total.

2.11.4 "Driving" will be deemed to include any time spent in the pits when a driver brings a car in and then re-joins the race.

2.12 RACE FINISHES:

After taking the Chequered Flag drivers are required to:

1. Progressively and safely slow down
2. Remain behind any competitors ahead of them,
3. Return to the Pit Lane Entrance/Paddock Entrance as instructed,
4. Comply with any directions given by Marshals or Officials
5. Keep their helmets on and harnesses done up while on the circuit or in the pit lane

2.12.1 Parc Ferme: After each qualifying session and race all vehicles must be presented directly for scrutineering. Any area deemed by the licensed Eligibility Scrutineer and/or his nominated representative will be subject to Parc Ferme conditions with no exceptions. This will include the track from the track to the finish line to the scrutineering area, the waiting area in front as well as the track from the scrutineering area to the Parc Ferme, but all areas may be used as necessary. Team personnel must not enter Parc Ferme unless invited by the Series Eligibility/Safety Scrutineer.

2.13 RESULTS:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

2.13.1 All Practice Timesheets, Grids, Race Results are to be deemed PROVISIONAL until all vehicles are released by Scrutineers after Post Practice/Race Scrutineering and/or after completion of any Judicial or Technical Procedures. (Motorsport UK regulation D26.3)

2.14 CLASSIFICATION:

2.14.1 To be a classified finisher the competing car must either cross the finish line within five minutes of the chequered flag being displayed for the end of the race and have completed 50% of the distance covered by the winner, or if not running at the time of showing of the chequered flag the car must have completed 80% of the distance covered by the winner in order to be classified.

2.15 TIMING MODULES:

2.15.1 All competitors will be required to fit Electronic Self Identification Modules to their cars for the purposes of accurate timing. It will be the responsibility of the competitor to fit these in the car in the position and manner specified. The Modules must be in place and functioning correctly for all qualifying practice sessions and races. The setting and servicing of these items must only be carried out by properly authorised Motorsport UK licensed Timekeepers. Timing Modules are available to hire from MSV. Competitors will be charged for replacement of the Modules due to damage or loss.

2.15.2 Competitors may not place electronic timing equipment within five metres of the official Start, Finish or any other official timing lines at any event or test session/day. Any such equipment placed within these zones will be removed.

2.16 OPERATION OF SAFETY CAR:

2.16.1 The Safety Car will be brought into operation and run in accordance with Section Q, Appendix 2 of the Motorsport UK General Regulations.

2.17 ON-BOARD CAMERAS:

2.17.1 Competitors must fit cameras that should capture an image that provides a “drivers eye” view that should include the steering wheel, dashboard and a view of the circuit ahead with a field of vision approximately 100 degrees. Taking a power feed from the original 12v socket is permitted but with no other modifications to wiring.

2.17.2 The choice of system is free but playback must be possible at the event by regular means such as a laptop.

2.17.3 Where no judicial process has been instigated the competitor may not review the footage until the protest time (see Motorsport UK Regulation C5.2.1) has elapsed without the express permission of the Clerk of the Course.

2.17.4 In the event that no images are available upon request (other than due to a proven defect with the equipment), sanctions may be applied in accordance with Motorsport UK Regulation C2.1.1. The burden of proof to establish the cause of such failure shall lie with the competitor. The Clerk of the Course may also refer the matter of lack of recorded images to the Stewards of the Meeting for further sanctions.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

- 2.17.5 All rights including copyright in relation to footage captured by on board cameras, no matter that the camera is owned by the competitor, will belong to the Organiser and/or Venue Owner/Operator and may not be shared or otherwise used for broadcast or commercial purposes or on social networking sites, forums or any other internet media without permission of the Organiser and/or venue owner/operator.
- 2.17.6 Where it is necessary for the Clerk of the Course to review footage after an event that such footage should normally be reviewed within a period of 7 days of the event.
- 2.17.7 Any breach of camera regulations should be subject to penalties provided for in Motorsport UK regulation C2.1.1 with an option to report any matters to the Series Stewards.
- 2.17.8 In the event of judicial action, all relevant on board footage must be retained until the time period for all judicial matters has elapsed. The competitor is responsible for carrying and fitting an alternative memory card should one be needed whilst this activity is completed.

2.18 QUALIFICATION RACES:

If any event is oversubscribed the Organising Club may at their discretion run Qualification Races details of which will be published in Final Instructions for the event.

2.19 TOW BACK:

- 2.19.1 Cars that stop on circuit may only be worked on by the driver alone using only the tools carried in the car. However, cars may be towed back to the pits by the Organisers, if requested by the driver to do so, where they may be worked on as required. Tow backs may be prioritised by the Organisers, at their sole discretion, after if necessary consulting the Clerk of the Course as they occur for the overall good of the event or they may decide to refuse a tow back if the car is too badly damaged or too difficult to move.
- 2.19.2 Cars towed back will be subject to a three lap penalty which will be subtracted from the total completed up to that time. All cars will be towed back to the pit lane. These tow back rules will only apply up until the final hour of the race when the Organisers will only tow cars to the nearest place of safety. Maximum total weight of any tools is 2kg. These must be fixed in the car by straps. No jacks allowed.

2.20 ELIGIBILITY SCRUTINEERING:

- 2.20.1 The Organisers reserve the right to select any car for additional eligibility scrutineering on the morning of the race in accordance with series regulations. Any failure to comply with the technical regulations during this scrutineering process may result in the car not being allowed to start the race or being allowed to start under certain conditions that the Clerk of the Course may in his sole discretion see fit to determine, such as by imposition of a weight penalty. A minimum of two hours before the start of the race will be allowed to reassemble any components that may previously have been stripped during this process.

2.21 TEAM RADIOS:

- 2.21.1 In the interest of safety, team radios are permitted (Motorsport UK Regulation Q8.1.10). The transmission of encoded technical data and information related to the performance of the driver and or car however, is prohibited.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

2.21.2 The driver/team will at all times comply with the terms and conditions specified from time to time by Ofcom and other official bodies (e.g. an airport authority) for the use of their frequency. (Motorsport UK Regulation Q8.1.10)

2.22 DATA LOGGERS:

2.22.1 All vehicles are required to run a functioning data logger. The data collected must be available to the series organisers and Clerk of the Course on request and must be available for inspection for a minimum of 5 full days after the event.

2.22.2 The Series Organisers reserve the right to supply and fit a specific data loggers to competitor's cars. Once fitted, the device must remain in place and operational until removed by the Series Organisers or Series Scrutineer and must not be modified/removed. The data will belong to the Series Organisers and may be made available to the competitor at the Series Organisers discretion.

2.22.3 It is the Competitors responsibility to ensure that the data system and sensors are functional and logging at all times during the event that the car is running. The minimum logged data must include, maximum speed, RPM, and lap/sector times.

3 SPECIFIC SERIES REGULATIONS:

3.1 One official qualifying session of no less than 45 minutes duration will be scheduled at each meeting.

3.1.2 In the event of a double header; the starting grid for the first race of that meeting will be published as soon as possible following the completion of the official qualifying session. The starting grid for the second race of the meeting will be published as soon as possible after the completion of the first race. The grid will be formed by the finishing order in the first race, as published by the official time keepers and authorised by the clerk of the meeting. Any number between and including the first ten and twenty finishers from the first race shall have their grid positions for the second race reversed, with the number picked at random by the winner of the first race. All other classified finishers will be allocated grid positions in accordance with their finishing order from the first race. Competitors not classified as finishers in the first race will be placed on the starting grid for the second race after the last classified competitor according to number of laps covered.

3.1.3 Cutting the chicane at Oulton Park will receive a drive through penalty. Penalties for repeat offences will increase to a stop go and then increase incrementally as Stop Go Penalties, as per the table shown in 4. Specific series penalties.

4 SPECIFIC SERIES PENALTIES:

In accordance with Section C of the current Motorsport UK Yearbook, and these Regulations.

| Infringement | Penalty |
|-------------------------------|-----------------------|
| False or Jump Start | Drive Through penalty |
| Overtaking under Yellow Flags | Stop/Go penalty |

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

| | |
|---|--|
| Overtaking under Safety Car | Stop/Go penalty |
| Overtaking the Safety car without Instruction | Stop/Go penalty |
| Causing Avoidable Contact | 1 minute stop/go penalty |
| Unsporting or aggressive driving | 1 minute stop/go penalty |
| Unsporting or aggressive behaviour outside of practice and races during a meeting | disqualification and referral to the Motorsport UK Stewards |
| Pushing another vehicle | Stop/Go penalty |
| Not Respecting track limits | Stop/Go penalty |
| More than three laps under the black flag | Called in to see a race official via Stop/Go penalty |
| Excess Speed in the pit lane | 1 minute stop/go penalty |
| Reversing under power in pit lane | Drive Through penalty |
| Breach of refuelling rules | 2 lap penalty |
| More than four people working on the car | 1 minute stop/go penalty |
| Illegal work while refuelling | 2 lap penalty |
| Possession of illegal tyres in pits | 10 lap penalty |
| Using illegal tyres on track, including in practice | disqualification |
| Replacing any part during actual practice or the race | All parts must be immediately given to the scrutineer or pit marshal |
| Lights not working | Black Flag |
| Exiting pit lane under red light at exit | 2 lap penalty |
| Driving through HuTag sensor without getting green light | 1 minute stop/go penalty |
| Exceeding driving time (continuously / total) | 10 lap penalty |
| Mechanical assistance - tow back to pit lane | 3 lap penalty |
| Using telephone in the car | Disqualification |

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

| | |
|--|--|
| Failing/Refusing breathalyser test | Disqualification plus a £1,000 fine |
| Penalties should increase for repeat offences as follows | Stop/Go penalty 1 minute stop/go penalty 1 minute stop/go penalty 3 minute stop/go penalty 5 minute stop/go penalty 10 minute stop/go penalty Black Flag and possible disqualification |

The table above is a guideline. Depending on the situation the Clerk of the Course may choose to escalate any penalty in accordance with Motorsport UK regulations.

4.1 INFRINGEMENTS OF TECHNICAL REGULATIONS:

4.1.1 Arising from post practice Scrutineering or Judicial Action:

Minimum Penalty: The provisions of Motorsport UK Regulations: C3.3.

4.1.2 Arising from post-race Scrutineering or Judicial Action:

Minimum Penalty: The provisions of Motorsport UK Regulations: C 3.5.1 – C 3.5.2

For infringements deemed to be of a more serious nature the Clerk of the Course and/or Stewards of the Meeting are to invoke the provisions of Regulation C 3.5.1 (c)

4.2 ADDITIONAL SPECIFIC SERIES PENALTIES:

4.2.1 In order to maintain standards of conduct, the series coordinator will monitor all officials / observers reports of adverse behaviour at race meetings. If any individual is included on such reports during competition the series coordinator will notify the organisers who will issue a warning letter that his / her driving behaviour is to be specifically observed at future race meetings. Adverse second such report during this period of observation may result in a formal warning being issued. Further reports may be referred to the Series Stewards for consideration of further sanctions including but not limited to possible refusal of further race entries or other sanctions as seen fit.

4.2.2 The Clerk of the Course may impose a Stop & Go or Drive Through penalty for infringements of the regulations in accordance with Motorsport UK Regulation Q 12.6 (a.-h.). Driver changes, refuelling and any other work on the car is not permitted during such a penalty.

4.2.3 The Clerk of the Course may impose a grid position penalty for the next race or races of the Series for infringements of the regulations.

4.2.4 The Clerk of the Course may impose such penalties as appropriate according to the powers granted to him in G 5.3

5 TECHNICAL REGULATIONS:

5.1 INTRODUCTION:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

The following technical regulations are set out in accordance with Motorsport UK specified format and it should be clearly understood that if the following texts do not clearly state that you can do something you should seek clarification from the series organisers prior to making any changes.

The organisers reserve the right to modify these series regulations as appropriate to ensure close competitive racing at all times.

Exceptions to the Technical Regulations may be made providing they are:

- Approved by the series organisers and scrutineers in advance.
- In keeping with the spirit of the series (modifications made during the course of the season that give a significant performance advantage at a high financial cost will almost certainly be illegal).

By registering for the series competitors will be deemed to have full knowledge and acceptance of these regulations.

Entrants must at all times comply with the directives of the series organiser in respect of scrutineering and eligibility checking.

If your vehicle does not conform to a specific regulation, please email regs@msv.com prior to the closing date for race entries with a detailed description of the part of your vehicle in question. Please include photos and any other information that might be relevant so that we can review your entry accordingly.

In any case, all Motorsport UK safety requirements must be adhered to as specified in the Motorsport UK Yearbook 2020.

6 DESCRIPTION:

The MSV Trackdays EnduroKA Series is designed for competitors participating in a Ford KA Mk1 1300cc (produced between 2002 and 2008) it does not include the Sport KA or Street KA variants. It is a series where driving skills and car control are of paramount importance and where technical development is prohibited.

The responsibility to prove eligibility is that of the entrant at all times. The series organisers in conjunction with the Series Scrutineer shall determine matters as to the eligibility and the implementation which may involve photographing any part of the vehicle and performing electrical diagnostics at the scrutineers discretion.

All entries are at the discretion of the Series Organisers.

7 Presentation

Cars must be presented to a high standard. Unpainted panels, unrepaired damage or cars not achieving a satisfactory level of preparation and presentation, as judged by the series scrutineer, may receive a warning and may ultimately result in exclusion.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

Presentation for a vehicle for scrutineering is a declaration by the entrant that the vehicle is eligible for that event and fully complies with the series regulations.

It is expected that all EnduroKA cars will be presented in full racing livery, at all times.

8 SAFETY REQUIREMENTS:

8.1 The following Articles of Motorsport UK Blue Book 'Section K Competitors: Safety' regulations are highlighted as being applicable (but not to the exclusion of any other) Motorsport UK General Regulations that automatically apply):

K 1.2.1 & K 1.2.2 , – ROPS (Roll over protection systems) as defined in 8.1.3

K 2.1.2 - K 2.1.4 - Seat belts, 4, 5 and 6 point harnesses

K 3.1 - Fire extinguisher, Appendix 1, Table 3 , references (3.1.2 a) &/or (3.1.2 b) apply

K 5.1 & K 5.2, - Red warning light

K 6, - Fuel tanks & fillers

K 8 , - External circuit breaker (see also G120 & 121)

K 9 – Race Overalls (in particular, K 9.1.1)

K 10 – Crash helmets

K 13, - Head restraints

A link to the 2020 Motorsport UK Competitors & Officials Yearbook can be found here:

<https://www.motorsportuk.org/News-Publications/Publications/Yearbook>

8.1.1 Safety Harnesses:

In order to maintain the integrity of the harness system in the event of an accident, it is recommended that these should be a minimum of five-point attachment, in accordance with Q 19.14.2.

8.1.2 Seats:

It is strongly recommended that seats have side wings or side head restraints to take into account lateral forces.

8.1.3 Roll Cage:

In the interest of safety, the control roll cage must be Item number RCK1001KA, available from Burton Power (Anthony Mitchell – Anthony.mitchell@burtonpower.com or: 0208 554 2281 x 211). ALL components of the cage kit, as supplied, must be correctly fitted to the car.

9 GENERAL TECHNICAL REQUIREMENTS AND EXCEPTIONS:

All vehicles must comply with the relevant sections of the 2020 Motorsport UK Yearbook Section J and Section Q (Tech Regs) up to and including Q 19.16

9.1.1 Competitors registering in this Series do so in the full knowledge that the organisers reserve the right to require the Series Scrutineer to carry out, record and enforce eligibility checks which may include the sealing of component(s) for subsequent checking. The costs of such checking shall be borne by the series organisers but the organisers shall not be liable for the costs of stripping or reassembly or rebuilding of vehicles after the checks have been carried

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

out.

- 9.1.2 Advertising on vehicles is subject to requirements set out in Motorsport UK Yearbook Q 19.2.2 and H 28 & H 29 in particular. For the avoidance of doubt, use of the side windows of the vehicle for advertising is strictly prohibited.
- 9.1.3 All vehicles must comply with Motorsport UK General Technical Regulations and the relevant parts of the Motorsport UK Yearbook except where specified below.
- 9.1.4 Engines may be sealed at any time by a Licensed Eligibility Scrutineer. These seals may only be broken with Series Scrutineers permission.
- 9.1.5 The Car Specification elements of the Series Registration documents must be fully completed and will form part of a declaration of the cars suitability to align with this series. This document should be with the car when presented for scrutineering.

9.2 DEFINITION OF TERMS:

- 9.2.1 **STANDARD:** The word 'standard' used within these technical regulations as a description of components is to be interpreted as per 'Standard Part' defined in Section B – Nomenclature & definitions in the Motorsport UK Blue Book. Checking will be by comparison to spare parts supplied by the manufacturer's official agent, comparison to standard parts or by any other means necessary to ensure compliance. This includes all surface finish of components

Standard Part: Is a part, the specification, features, location and method of operation of a part are as provided when new by the motor manufacturer for the model and date of car as shown on the entry form.

- 9.2.2 **STANDARD PATTERN:** The phrase 'standard pattern' used within these technical regulations as a description of components is to be interpreted as per 'Standard Pattern Part' defined in Section B – Nomenclature & definitions in the Motorsport UK Blue Book. Checking will be by comparison to standard pattern part or any other means necessary to ensure compliance.

Standard Pattern Part: A replacement part that has a similar form shape and features as the standard part and is made using similar materials and manufacturing processes e.g. a standard part manufactured by a non-original equipment supplier that is fully interchangeable with the standard part.

- 9.2.3 **COMPONENTS:** The phrase 'component' used within these technical regulations shall be considered to be ANY individual part or assembly of parts used in the construction of the vehicle.

- 9.3 The car must be of sound construction, in good mechanical condition and well maintained in accordance with Motorsport UK General Technical Regulations (Sections J & Q) as appropriate. It must be presented in good order. All inspection areas e.g. engine, gearbox, suspension components, etc. must be in a clean condition.
- 9.4 All cars must have a series log book and this must be presented at Scrutineering at every race meeting. These will be filled in and updated throughout the year. Defects need to be rectified on a timescale to be agreed with the Scrutineer and/or the Series Organisers.
- 9.5 The Series Organisers reserve the right to require the exchange of any part or assembly of parts on the car for standard ones at any time during a race meeting on any competing car.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

10 CHASSIS:

- 10.1 A standard MK1 1300cc Ford KA 3 door vehicle must be used, in right hand drive only
- 10.2 No part of the monocoque shell shall be removed, modified or added to. For the avoidance of doubt this includes any welding to stiffen or otherwise modify the shell. Repairs to corrosion are allowed on the strict condition that no welding or repair adds no additional stiffening to the car.

11 BODYWORK:

11.1 GENERAL:

- 11.1.1 It shall be the intention, at all times, to preserve a standard external appearance to the cars.
- 11.1.2 It is permitted to apply paint, decals, stickers or wraps to the car with the exception that the areas reserved for sponsorship are not covered.
- 11.1.3 All doors must be fitted with original lock fittings and operating mechanisms, and must be kept unlocked during any practice or competition. If the vehicle is fitted with central locking, the central locking fuse must be removed. The rear hatch key operated release mechanism may be replaced by the push button mechanism.

11.2 INTERIOR:

- 11.2.1 No part of the interior which is an integral part of the monocoque shell may be removed.
- 11.2.2 The front bulkhead must comply with the requirements of the Motorsport UK Yearbook. Two holes may be drilled to allow the cable pulls to pass through. Two holes may be drilled to allow the battery to master switch cables to pass through. These 4 holes must be fitted with grommets and ensure the fire protection integrity of the bulkhead. A further hole may be drilled to accommodate the fire extinguisher pipe.
- 11.2.3 Interior trim, fittings, courtesy light and passenger seats may be removed except as specified below. The dashboard must remain fitted. A close fitting slot cut-out in the dashboard is permitted to facilitate the fitting of the roll cage.
- 11.2.4 The standard internal door trims must be fitted but may be modified to facilitate clearance around the roll cage door bars.
- 11.2.5 The standard driver's seat shall be replaced with a racing seat approved to FIA 8855-1999 as a minimum and must be fitted in the manufacturers intended position.
- 11.2.6 Adjustable seat rails may be fitted. They must comply with Motorsport UK regulation K.2.2.1.
- 11.2.8 The original pedal box with original pedals must be fitted in its original position, using the standard mountings. It is permissible to add extension plates to the pedals. The maximum size of the pedal extensions is 120mm high x 80mm wide x 4mm thick. These must be attached directly to the pedals. The use of spacers between the pedals and plates is prohibited.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

11.2.9 A working and accurate tachometer (rev counter) may be fitted to all vehicles whether one was present as standard in the vehicle or not. No other gauges are permitted. This must be a single analogue needle unit with no other attachments

11.2.10 It is recommended that all interior sound deadening is removed.

11.3 EXTERIOR:

11.3.1 No panel may be cut, drilled or in any other way modified other than those detailed in these regulations.

11.3.2 Front wings may be removed and refitted, to allow the panel to be fitted as per the original but with suitable bolts in lieu of spot welds to aid their safe repair during events. For the avoidance of doubt no strengthening or other modifications to the front wings or mounting is permitted.

11.3.3 Three rear view mirrors must be fitted as a minimum (one interior and two exterior).

11.3.4 A wide angle rear view interior mirror is mandatory.

11.3.5 External mirrors must all be standard unmodified Mk1 Ford KA mirror assemblies fitted in the manufacturers intended position.

11.3.6 Transparent coloured film may be fitted to rear view mirrors to reduce glare. This must not reduce the effectiveness of the rear view mirrors in daylight.

11.3.7 All elements of the standard front and rear bumper assemblies must be present. The front bumper may have a slot cut into it on each side to facilitate the fitting of the optional spot lights detailed below in 15.2.3. It may also have a slot cut into it on each side to facilitate fitting wire tow straps under Motorsport UK regulation Q. 19.1.3(b).

It is permissible to secure the side of the front bumper, where it overlaps the front wing by means of a screw type mount and countersunk bolt/captive nut. This must be done on the bumper directly above the centre line of the wheel in the first location and directly behind the wheel, above the sill in the second location. No strengthening to these mounting points is permitted.

11.3.8 The bonnet must be secured by 2 locking pins conforming to Motorsport UK regulation Q.19.2.6.

It is permissible to drill 2 holes through the bonnet and engine bay front cross member to install bonnet pins. It is permissible to drill a maximum of 4 holes of maximum diameter 6mm in the bonnet outer skin and 4 holes of maximum diameter 6mm in the bumper to install bonnet straps.

11.3.9 The windscreen must be of HPR laminated glass.

11.3.10 The standard toughened glass side and rear windows must be retained.

11.3.11 The standard window winding mechanism (electric or manual) must be retained and must be fully operational.

11.3.12 All body panels must be standard or standard pattern parts.

11.3.13 The mandatory TSL lap timing transponder must be fitted on the Offside inner chassis leg, behind the front crash bar.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

11.3.14 The scuttle panel below the windscreen may be modified in the following ways:

- Two holes may be made in the scuttle panel to allow pull cable handle fittings to be mounted. A reinforcing plate may be used on the underside of the scuttle panel to strengthen it. One pull cable must operate the fire extinguisher and one to operate the master cut-out switch.

11.3.15 Sound deadening materials may be removed from the engine bay and underside of the bonnet.

11.4 SILHOUETTE:

11.4.1 The original silhouette must be maintained, except the variation caused by the fitment of approved front driving lights and/or the fitting of wire towing straps in accordance with Motorsport UK regulation Q.19.1.3(b).

11.5 GROUND CLEARANCE:

11.5.1 Ground clearance must comply with the requirements of the Motorsport UK Yearbook. For the purposes of this regulation the exhaust is considered to be part of the car and is subject to the same ground clearance rules.

12 ENGINE:

12.1 GENERAL ENGINE REGULATIONS:

The engine must be a standard 1300cc, 2002 – 2008 Duratec Engine, Engine Code BAA (60PS) and A9A, A9B (70PS). No engine modifications are allowed whatsoever. The fitting of standard pattern parts is not allowed unless expressly allowed in the following regulations.

12.2 CAMSHAFT:

No modifications to the standard camshaft are allowed.

12.3 CRANKSHAFT:

No modifications to the standard crankshaft are allowed. Due to age the following tolerances are allowed; 0.025 reduction on crankpin and main bearing to allow for wear. No changes to the surface finish or metal treatment are allowed. The head must be kept as standard.

12.4 FLYWHEEL:

No modifications to the standard flywheel are allowed.

12.5 CLUTCH:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

The standard or standard pattern Ford clutch and pressure plate must be used.

12.6 CYLINDER DIMENSIONS:

No modifications to the standard cylinder block are allowed.

12.7 CYLINDER HEADS:

No modifications to the standard cylinder heads are allowed.

12.8 VALVE GEAR:

No modifications to the standard valve gear are allowed.

12.9 PISTONS:

No modifications to the standard pistons are allowed.

12.10 LUBRICATION SYSTEM:

No modifications to the standard lubrication system are allowed.

12.11 ENGINE INSPECTION SEAL:

All cars should be presented with, 2 bolts at the front of the sump and 2 bolts at the front of the rocker cover that are drilled bolts for the purpose of wire sealing. The 2 sump bolts may be wired together and sealed by the Eligibility Scrutineer. The 2 rocker cover bolts may be wired together and sealed by the Eligibility Scrutineer. The engine will be made available for inspection as prescribed by Motorsport UK rules.

12.12 AIR CONDITIONING:

If fitted as standard the air conditioning compressor and associated pipework may be removed.

12.13 LOCATION:

The engine must be located in the manufacturer's original position by the manufacturer's intended method and parts.

12.14 COOLING SYSTEMS:

12.14.1 No modifications to the standard cooling system are allowed.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

12.14.2 The water pump must be a standard or standard pattern part, must not be modified in any way and the impellor must be present and working as the manufacturer intended.

12.14.3 The auxiliary belt must have the following part numbers:

Auxiliary Belt (without aircon) – part number XS6E-6C301-BB, FINIS 1089877 (6PK1700)

Auxiliary Belt (with aircon) – part number 3S5Q-6C301-BA, FINIS 1303929 (6PK2193)

12.15 INDUCTION SYSTEMS:

No modifications to the standard induction system are allowed. The use of free flow type filters is not permitted. Only Part number XS5X-9601-DA, FINIS 1089896 may be used.

Drilling or making holes in the standard air box, or piping system is not permitted, the filter element must be complete and undamaged, any gaps holes or splits in the filter element will render it non-compliant.

12.16 EXHAUST SYSTEMS:

12.16.1 No modifications to the standard exhaust system are allowed.

12.16.2 Only the Ford KA Mk1 2002 - 2008 OEM or the following part numbers may be used:

Catalytic converter including manifold – Klarius – 321999 (Euro 3) and 322232 (Euro 4)

Centre pipe – part number 1S5J-5230-A1A, FINIS 1457191 (Klarius FE938E)

Rear silencer - part number 1S5J-5K244-A1A, FINIS 1457192 (Klarius FE604W)

The catalytic converter must remain internally intact and fully functional.

12.17 IGNITION SYSTEMS:

12.17.1 No modifications or additions to the standard ignition system are allowed whatsoever. The Engine Management Systems (ECU) must be totally standard, and will be checked by the Eligibility Scrutineer or the nominated Judge of Fact. The car's EOBD diagnostic port must remain fully functional, and the Eligibility Scrutineer may plug into the diagnostic port to use scan tools to check the correct function of the engine management system, including but not limited to the catalytic converter.

12.17.2 It is mandatory to use spark plugs with the following part numbers; TR5B-13 (NGK), T16VR-U10 (Denso), 0242229785 (Bosch)

12.18 FUEL DELIVERY SYSTEMS:

12.18.1 The manufacturer's entire fuel delivery system must be retained unmodified.

12.18.2 The use of alternative fuel pumps or pressure regulation equipment is prohibited.

12.19 PROHIBITED MODIFICATIONS:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

With the exception of the items detailed it is expressly forbidden to machine, mill, grind, polish, weld, modify or otherwise adapt parts in any way.

13 SUSPENSIONS:

13.1 PERMITTED MODIFICATIONS:

13.1.1 Suspension should be:

Bilstein dampers - Front left 22-235770, Front right 22-235787, Rears 19-235790

Burton Power springs - ENKA-CSK

13.1.2 Bushes must be the following:

Powerflex:

PFF19-601 FRONT wishbone front Bush 46mm

PFF19-602 FRONT Wishbone rear Bush 54mm

PFF19-603-15 FRONT Anti roll bar mounting Bush 15mm

PFR19-707 Rear beam mounting Bush 63mm.

13.1.3 No other modifications are allowed.

13.2 PROHIBITED MODIFICATIONS:

13.2.1 No other modifications to the suspension, mounting points, shock absorbers, springs or wheel alignment geometry are allowed other than from the consequences of changes by those specified in 13.1.1 to 13.1.3.

14 TRANSMISSIONS:

14.1 The transmission must be the standard OEM fitment with type code IB5. It must be housed (in the case of clutch and gear train) within the standard alloy OEM gearbox housing/bell housing and mounted in the manufacturer's intended position.

14.2 A standard Ford KA Gearbox must be used without modification of any kind. The accepted part numbers are:

3.61 Final Ratio:

3S5R-7002-AA, 3S5R-7002-AB, 3S5R-7002-AC, 3S5R-7002-AD, 3S5R-7002-AE,

4.06 Final Ratio:

3S5R-7002-BA, 3S5R-7002-BB, 3S5R-7002-BC, 3S5R-7002-BD, 3S5R-7002-BE

Part numbers may also be preceded by the following:

P (eg P3S5R-7002-AA) for a gearbox supplied as a new for old exchange part

RM (eg RM3S5R-7002-AA) for a gearbox supplied as a remanufactured exchange part

14.3 OEM gear ratios must be used:

3.15 / 1.93 / 1.28 / 0.95 / 0.76 with a final drive ratio of either 3.61 or 4.06

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

14.4 PERMITTED MODIFICATIONS:

14.4.1 No modifications or changes are allowed to the transmission assemblies or components.

15 ELECTRICS:

15.1 GENERAL:

The standard Mk1 Ford KA electrical system must be retained. It is not permissible to modify the wiring loom or its ancillaries except for the following:

- Air bag firing mechanism must be removed.
- Wires for the additional optional front spot lights
- Wires for optional identification lights as defined in 15.2.4
- The fitment of a Master Switch circuit breaker.
- A centrally mounted rear rain light
- Wires for the function of the data logger, solely to collect the data defined in 2.22.3

15.2 EXTERIOR LIGHTING:

15.2.1 All standard lights (front and rear side lights, 3 brake lights, front and rear indicators, dip and main beam headlights) must all be present and working.

15.2.2 Standard or standard pattern light units must be used. HID, LED and upgraded bulbs are permitted.

15.2.3 Two additional spot lights for the purpose of night time running are permitted. These additional lights will activate at the same time as the standard main beam bulbs and no additional or independent operation is permitted. Additional internal switches are not allowed. These spot lights must be fitted on either side of the front facing area of the front bumper equal distance from the centre line of the vehicle.

15.2.4 Additional spot lights must be fitted throughout all events where night running takes place, including qualifying. Lights should not be removed/replaced during events with night running in any other than forced majeure scenarios.

15.2.5 A maximum total number of two additional spot lights are allowed.

15.2.6 All additional lights must be taped up, via a cross of tape no smaller than half an inch wide. The tape must be in situ at all times, and may only be removed 30 minutes before the designated sun set time for the day of racing. Transparent clear (not tinted) covering film may be used in place of a tape cross at the discretion of the scrutineer.

15.2.7 Identification lights are permitted, in the form of a coloured undercar "neon" (or led) light. Power must be supplied by the side light circuit. The identification lights will activate at the same time as the standard side lights and no additional or independent operation is permitted. Additional internal switches are not allowed. All undercar lights must be firmly fitted in a secure manner with a back-up mount should the original one fail.

15.3 RAIN LIGHT:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

15.3.1 A Motorsport UK compliant high intensity rear light or “rain light” as defined in K.5.1 is required.

15.4 BATTERIES:

15.4.1 The vehicles battery must be equivalent in size, weight and amp hours as the original manufacturer’s battery, fitted in the standard position and must be firmly secured.

15.5 ALTERNATOR:

15.5.1 A functioning standard OEM specification alternator must be fitted. No modifications are allowed to the alternator, its drive mechanism or electrical circuits.

15.5.2 The auxiliary belt must have sufficient tension to make the alternator function as intended by the manufacturer.

15.6 WINDSCREEN WIPERS:

15.6.1 Standard or standard pattern front and rear windscreen wipers and washers must be fitted and fully operational. No modifications are allowed to the windscreen wiper blade, windscreen wiper mechanism or windscreen washer system.

16 BRAKES:

16.1 Mintex front brake pads part number MDB2059M1144 must be used.

16.2 If present, the ABS system must be permanently (and not temporarily) disabled.

16.3 The brake system should be standard, with the exception of the control brake pad detailed (15.1):

Callipers (part numbers: Calliper LH - RMYS6J-2B302-AA/1478498, Calliper RH - RMYS6J-2B294-AA/1478471)

Front discs (size: 240 x 20mm, and part number - YS6J-1125-CC/1524589)

Rear drums (size: 180mm, and part number - 7S51-1113-AA/1499061)

Rear shoes (part number YS5J-2200-AB/1473062)

Brake discs with any friction surface grooves, holes, slots or other performance enhancing features are prohibited.

16.4 It is not permissible to modify the brake pipes, however standard rubber brake hoses may be replaced by braided hoses. In the event of damaged hard brake lines e.g. damaged end fittings or accident damage, it is permissible to repair the hard brake line via reflaring with a new fitting. For the avoidance of doubt, no change in pipe diameter or position of pipe run is permitted.

16.5 The standard handbrake must remain in the manufacturers intended position and be fully operational.

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

17 WHEELS / STEERING:

- 17.1 No modifications of any kind are allowed to the steering system.
- 17.2 The standard steering wheel may be used. A Motorsport UK approved alternative steering wheel and either quick release or fixed boss is permitted.
- 17.3 The passenger airbag must be completely removed, the steering wheel air bag will be completely removed when fitting an alternative steering wheel but when retaining the standard steering wheel the explosive charge must be removed to completely disable the airbag but retain the function of the horn operation.
- 17.4 All Wheel Spacers are prohibited. Hub to rear beam spacers are also prohibited.
- 17.5 The control alloy will require a M12 1.5 63mm Ford fit stud and nut to be fitted.
- 17.6 The control wheel is a Compomotive Alloy: COMPMOTIVE ML1357 13x5.5 et30 4x108, which must be used at all times. Use of the Compomotive Alloy will require a new stud and nut per regulation 17.5.

18 TYRES:

18.1 SPECIFICATIONS:

- 18.1.1 The permitted tyre size is 185/60R13
- 18.1.2 Control tyres for the KA Endurance Series are Toyo Proxes CF2 for dry & wet conditions. It is prohibited to cut the tyres in any manner and the original tread pattern must remain visible at all times. Four tyres of Toyo Proxes CF2 must be fitted at all times.
- 18.1.3 All tyres must be purchased via the official tyre distributor, Polleysport (<http://www.polleysport.com/enduroka> 01354 688 111). Tyres will be supplied buffed to 5mm and branded.
- 18.1.4 The use of tyre heating/heat retention devices, tyre treatments and compounds is prohibited.
- 18.1.5 Additional tyre planing/shaving/buffing is prohibited.

19 WEIGHT:

- 19.1 Cars must have a minimum weight of 950kg, inclusive of driver at all times during qualifying and races.
- 19.2 If ballast is required it must be securely attached within the vehicle and attachment bolts predrilled for the purpose of attaching scrutineers wire seals. The total weight of ballast carried, must be declared in the scrutineering log book and be in position at all times during practice and racing. All ballast must be clearly labelled, securely fitted by at least four M8 bolts in the passenger foot well or passenger seat position and be visible for inspection at any time – (References section J. 5.15.1 – 5.15.4).

20 FUEL TANK / FUEL:

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

20.1 FUEL TANK:

- 20.1.1 The fuel tank must be a Ford KA Mk1 standard production item with a maximum capacity of 40 litres fitted in the manufacturer's original position.
- 20.1.2 Modifications to the fuel tank, sender unit, fuel pump and pressure regulator are not permitted.

20.2 FILLER CAP:

- 19.2.1 A filler cap must be fitted that complies with Section K14.1.2 of the Motorsport UK Yearbook.

20.3 FUEL:

- 20.3.1 All fuels listed in Motorsport UK competitor's yearbook 2020 as pump fuel are acceptable subject to a 100ron maximum octane rating.
- 20.3.2 The organisers reserve the right to request fuel for sampling at any point during an event weekend.
- 20.3.3 Where the conclusion of the fuel testing procedure confirms non-compliance the entrant shall be responsible for all costs and fees arising from the testing procedure. Motorsport UK Yearbook Section D 34.6
- 20.3.4 The use of fuel additives is prohibited.

21 NUMBERS AND SERIES DECALS:

21.1 POSITIONS:

- 21.1.1 Race numbers must be located in the rear side windows, and windscreen as required by Section Q 11.4 of the Motorsport UK Yearbook. An additional reflective yellow car number, a minimum of 100mm high is required in the top right hand corner of the rear windscreen.
- 21.1.2 All vehicles must display the series advertising material associated with a series sponsor as required by the series. These stickers will be provided in your Registration Pack and replacements can be purchased at each round if required.

Toyo Tyres sticker in the front and rear number plate position
Sponsor roundel sticker on the left and right front doors under the door mirror
Motorsport Days sticker on each bumper corner
Burton Power stickers on both front wings
Moore's Motors Screen front top

Further sponsors may be added at a later date

- 21.1.3 Competition numbers will be obtained at the competitor's expense. One full set of series decals will be supplied by MSV. Replacement stickers are available at the cost of £5 per individual sticker (or pair of number plate stickers).

2020 MSV Trackdays Enduro KA Series Sporting and Technical Regulations

22 MISCELLANEOUS:

- 22.1 Towing eyes must be fitted front & rear and must comply with Motorsport UK Regulations.
- 22.2 Electronic pit boards are not allowed. These include any device that is attached by cable or wirelessly to a computer for the purpose of passing messages from the pit wall to a driver. Motorised pit board deployment mechanisms are not allowed. It is permissible to illuminate a manual pit board at night.

APPENDICES:

- 23.1 Race Organising Contacts:
Series Co-ordinator: Stuart Garland
Series Scrutineer: Chris Mount
- 23.1.1 Commercial Undertakings:
None
- 23.1.2 Agreed Waivers:
None
- 23.1.3 Log Books:
A central logbook will be held by the eligibility scrutineer where specific eligibility infringements will be recorded and a copy issued to the entrant at scrutineering.